



"C'mon, c'mon - it's either one or the other."


Evelyn Roeloffs, Joan Gomberg, John Vidale November 2009


Table of Contents





- Three canonical PNW earthquake classes
- Rew instruments
- R ETS Joan
- Megaquake issues Evelyn


 Especially turbidite-derived quake history John

















Details




- Radiocarbon analysis of Planktic foraminifers in the sediment below turbidite
 - Organic content of turbidite difficult to identify
 - Bioturbation of turbidite may confuse sampling
 - ™ Basal erosion issues?
- ☐ Issues: Storm loading, tsunami, storm discharge, bolide impacts, landslides



Cascadia rupture history



- - ™ Mean recurrence interval of 260 years
 - 215 years in the last 3000 years
- ≈ 19 events rupture full length
 - Recurrence every 496-524 years
- - নে In three configurations
 - Northern limits to rupture at uplifts inferred to segment ETS Nehalem, Heceta, and Coquille Banks




Megathrust quake Science issues




- *™* Many types of earthquakes complicates interactions *™* crust, interface, intraslab, volcanoes
- a intraslab statistics the least well-constrained
- Representation (Note that the properties of the properties) with the contract of the properties of the
- ← Goldfinger great earthquake history ← inferences – speculative or solid?
- most useful perspective is global survey for adequate statistics

Cascadia Megathrust Sequences

- Megathrust ruptures won't all be a single event
 - M9 (NSHMP 67% weight) will have aftershocks, likely including M8 earthquakes
 - Several events M8-8.7 (NSHMP 33% weight), temporal evolution of sequence unknown
- ™ Indicators that Cascadia event sizes vary:
 - ™ Turbidite studies (Goldfinger et al.) shorter recurrence intervals (220 years) southern Oregon





Cascadia Foreshock Issues

Available data insufficient for robust statistics

- CR Limited ability to resolve exact nature of event
 - ™ Depth to subducting slab uncertain in Oregon
 - ™ Network coverage poor in southern Oregon
 - ∨ Very little offshore coverage
 - NSF Cascadia-MARGINS will fund OBS's, but no real-time data from them
- Current seismicity unrepresentative

Aseismic Deformation



- Aseismic deformation that differs from "business as usual"
 - ₩ Updip, i.e., closer to locked zone
 - Much larger
- Microfossil evidence suggests possible longer-term (years) pre-seismic coastal subsidence
- Published papers argue for aseismic slip preceding 1960 Chile earthquake and 1944 M8.1 Tonankai earthquake

Much work to define basis for possible advisories and implement detection algorithms

Cascadia Policy Challenges



- 3 states, 2 countries involved ○ OR and WA have no experience with earthquake "advisories"
- Advisories could potentially arise from
 - Report Potential foreshocks
 - Accelerated aseismic slip

What we are doing



- We have informal buy-in from OR and WA Emergency Managers and State Geological surveys
- We will plan a workshop involving the Science side, and the Policy side, in the next few months
- Convene scientists to agree on, what is a situation of concern and to write pre-approved statements
 - Start with, seismic
 - R Then, aseismic
- Seems necessary to convene an advisory body to include Canada and more regional experts

Joan



RETS

Swarms

Actionable items



- Workshop on assessing quake probabilities, particularly turbiditederived estimates
- Determine means for determining what circumstances particular to Cascadia warrant public notification and how to deliver such messages. Cascadia subcommittee of NEPEC PEPEC?
- Research and/or workshop on hazard implications of swarms
- Sharpen research focus on earthquake sequence (aftershock, etc.) probabilities